

T-104U Ceiling Speaker (1W-2W-3W)

Features

- Built-in 100v/70v transformer
- In-ceiling type loudspeaker
- 4" speaker unit
- Power taps 1W, 2W & 3W @100V
- Metal grille & ABS baffle
- Spring clip fast installation

Description

The T-104U is a ceiling speaker built-in 70v/100v transformer. The 70v/100v transformer technique reduces line losses on longer distance and allows easy parallel connection of multiple loudspeakers.

The built-in 4" speaker driver is designed of wide frequency response 100-16KHz, the multiple power taps 1W, 2W & 3W are helpful for different applications varies from room size and ambient noise surroundings. The metal grille and ABS baffle are painted in attractive white color. Its spring clip clamp makes the easy and secure installation.

It is ideal choice for industrial and commercial applications in hotel, school, office and factory where background music and paging is needed.




Specification

Model	T-104U
Power Taps @100V	1W, 2W, 3W
Power Taps @70V	0.5W, 1W, 1.5W
Impedance	Black: Com Red:10KΩ Green:5KΩ White:3.3KΩ
SPL(1W/1M)	88dB
Max. SPL (Rated W/1M)	93dB
Frequency Response (-10dB)	100-16KHz
Finish	Baffle: ABS, White Grille: Steel, White
Speaker Driver	4" x 1
Cutout Size	108mm
Dimensions	134 x 84mm
Weight	0.5Kg
Mounting	Spring-clip




T-104U Ceiling Speaker (1W-2W-3W)

Appearance:



Direction Diagram:



Frequency Response:

