

T-105U Ceiling Speaker (1.5W-3W-6W)

Features

- Built-in 100v/70v transformer
- In-ceiling type loudspeaker
- 5" speaker unit
- Power taps 1.5W, 3W & 6W @100V
- Metal grille & ABS baffle
- Spring clip fast installation

Description

The T-105U is a ceiling speaker built-in 70v/100v transformer. The 70v/100v transformer technique reduces line losses on longer distance and allows easy parallel connection of multiple loudspeakers.

The built-in 5" speaker driver is designed of wide frequency response 80-18KHz, the multiple power taps 1.5W, 3W & 6W are helpful for different applications varies from room size and ambient noise



surroundings. The metal grille and ABS baffle are painted in attractive white color. Its spring clip clamp makes the easy and secure installation.

It is ideal choice for industrial and commercial applications in hotel, school, office and factory where background music and paging is needed.

Specification


Model	T-105U
Power Taps @100V	1.5W, 3W, 6W
Power Taps @70V	0.75W, 1.5W, 3W
Impedance	Black: Com Red:6.7KΩ Green:3.3KΩ White:1.7KΩ
SPL(1W/1M)	89dB
Max. SPL (Rated W/1M)	96dB
Frequency Response (-10dB)	80-18KHz
Finish	Baffle: ABS, white Grille: Steel, white
Speaker Driver	5" x 1
Cutout Size	145mm
Dimensions	172 x 80mm
Weight	0.75Kg
Mounting	Spring-clip


Website: www.itc-pa.com.cn; Mail: info@itc-pa.com.cn




T-105U Ceiling Speaker (1.5W-3W-6W)

Appearance:





Direction Diagram:



Frequency Response:



Website: www.itc-pa.com.cn; Mail: info@itc-pa.com.cn